


Array.

More Options. Zero Tools.




WORKSPACE 

Array **Statement of Line**



Array beam




Premium Surface*


48", 60" and 72" wide




End Caps




A-Frame
Legs




3-way
Post




4-way
Post




Privacy Screen
(PET)




Screen Clips




Magnetic
Whiteboard



Whiteboard
Brackets




Dimmable
Lamp




Cable Tray

*10 Day Lead Time


Available with Premium Surface




Storage Box,
Rectangle



Storage Box,
Square




Planter Box



Whiteboard
Brackets
(used with Premium Surface)

Stackable, 2-high


Array **Accessories**



Storage and Planter Boxes require Premium Surface

Array Features

No tool assembly, with easy clip-in installation and accessibility to power and data cables
Integrates seamlessly with 48", 60" and 72" wide height adjustable desks
Linear, 90 and 120 degree configurations
Build out your optimal beam system with Premium Surface and accessories
Silver, Black and White finish on beams, legs, brackets and posts (End Caps in Light Grey)
Premium Surface is 254mm (10") wide and 18mm (3/4") thick, available in 4 laminate colors
Accessories include PET privacy screens, magnetic whiteboard, storage (stackable 2 high), planter boxes and dimmable lamp
Electrical: Byrne 3- and 4-circuit/8 track – with mounting plates to allow for no-tool installation
Wall, floor and ceiling power cables in-feed options (magnetic faceplate covers with silicone lid)
12' Power pole connects from ceiling to beam



Array works with Byrne 3- and 4-circuit power

Array **Features**



90° and 120° posts available



Cable Management Trays



Power entry through side and center legs and power poles (3 or 4 circuit, 24 CAT cables)



Magnetic Faceplate Covers

Installation Time

10 minutes per seat (no-tool assembly)

Warranty

10 years, beam, legs and surface.
5 Years on accessories.

Care & Maintenance Instructions

Wipe with a damp cloth using water or gentle, non-abrasive cleaner. For guaranteed safety, patch test with diluted cleaner before wiping entire surface. Wipe dry with a clean, dry cloth.

Certifications

ISO 9001: 2015

Array **Finishes**


Beam, Legs & Post Colors



Premium Surface Laminates (HPL)




Dimmable Light, Storage & Planter Boxes



Whiteboard



End Caps




Screens


Ripple Collection



Array **Finish Detail**







Array **Dimensions**





Versi Linear screens clip on with a special Array bracket, and are available in 45", 57" and 69" widths in all available heights. Refer to price book for heights and spec info.

Length \	ARRAY POWER BEAM 48"	ARRAY POWER BEAM 60"	ARRAY POWER BEAM 72"
A	1250	1550	1850





Array 3- and 4-way Posts

3-Way Post





4-Way Post








Array **Dimmable Light**

Features	Dimmable, Color Tone Adjustment
Dimensions	Length L = 1156 mm Diameter = \varnothing 249.6 mm
Working Voltage	AC 100-240V
Working Frequency	50/60Hz
Rated Power	18W@3000/6500K-32W@4000K
Number of light sources	150 * 2pcs
Light source type	SMD
Power factor	<0.5
Color temperature range	3000K-4000K-6500 K
Lighting level	Class II
Operating temperature	-10°C ~ 45°C
Warranty	5 Years





Array **Planter Box**

Function	Indoor planter box with drip watering hose and separator grid
Dimensions	222mm(H) X 600mm(W) x 260mm(D)
Materials	Planter body: Steel with E-coating followed by powder coat Separator grid: Galvanized steel with powder coating
Colors	Black and White
Weight	6kg
Assembly	None required (place in separator grid only)
Warranty	5 Years




Array **Storage Boxes**

Function	Stackable storage boxes (2 high)
Dimensions	Rectangle: 353mm(H) X 600mm(W) x 259mm(D) Square: 353mm(H) X 304mm(W) x 259mm(D)
Material	SPCC steel, powder coated
Colors	Black and White
Weight	Rectangle: 5.2kg Square: 3.3kg
Load Capacity	Rectangle: Up to 30kg (static), up to 15kg (stacked) Square: Up to 20kg (static) & up to 10kg (stacked)
Warranty	5 Years



Array **Whiteboard**

Function	Writeable, erasable, magnetic whiteboard
Dimensions	1066 mm(H) X 800 mm(W) X 9mm(T) Frame Thickness: 0.5 mm (Plastic)
Surface Material	Steel (Magnetic), finished with Gloss White paint
Core Material	PU foam board
Weight	4.3 kg
Edges	0.8mm white plastic edge-banding
Writing Cycles	>35,000 times
Warranty	5 Years



Array **Typicals**



120° **Array** with Premium Surface, 3- and 4-way posts, planter boxes, screens and dimmable lights, plus Kinetic 120° desks and Milo storage.



Four **Array** beams with screens, plus 8 Kinetic height adjustable desks with Mochi undermount personal storage.



Four **Array** beams with Premium Surface, small and large stackable storage boxes, planter boxes, whiteboards, screens and dimmable lights, plus Kinetic height adjustable desks.



Array beams with Premium Surface in T-layout, including screens, storage and dimmable lighting, plus Kinetic desks and Milo storage.



Array allows for enhanced functionality in any space – from meeting areas to private offices – with whiteboards, screens, storage, planter boxes and lighting.

Array **Image Gallery**

