


Vibe.

powered up height adjustable benching




WORKSPACE 


Vibe **Statement of Line**




Single Run Beam




Vibe - Single run
2-stage, 2 motor



Vibe - double run
2-stage, 2 motor




24" and 30" feet
single run applications only




Handset
3 memory presets

Worksurfaces




Linear
48", 54", 60", 66", 72" widths


Accessories




Gallery End Panel
available for double runs



Butterfly Brackets
for Gallery End Panel




Privacy Panel




Return Leg

Privacy Screens & Panels



Versi Screens



Screen Bracket

Frame Colors



Black Silver White

Worksurface Laminates



Classic White Continental Walnut Landmark Wood Grey Elm


Vibe Features



2-stage Legs with single and double run applications, plus 90 degree returns



Power Controllers with 3 memory presets



Cable Trays



Gallery End Panel
Available in 4 laminate colors



Privacy Panels
Available in 3 metal finishes



Power Poles

Installation Time

60 minutes per seat.

Warranty

10 years.

See price book for full warranty.

Care & Maintenance Instructions

Wipe with a damp cloth using water or gentle, nonabrasive cleaner. For guaranteed safety, patch test with diluted cleaner before wiping entire surface. Wipe dry with a clean cloth.

Certifications

ANSI/BIFMA X5.5-2014

UL962 Components level certified

Vibe Specifications

Active Consumption	2-stage legs: 0.2W / 400 W
Foot Length	22" and 28" (available for 24" and 30" deep worksurfaces)
Frame width expansion	47.2" - 48"
	53.1" - 54"
	59.1" - 60"
	65.1" - 66"
	71.1" - 72"
Gauge of Steel	2mm
Electrical	Byrne 3 Circuit & 4 Circuit Electrical
Handset	3 memory presets
Height range (excluding top)	27" to 47"
Leg Diameter	3.14" x 2.3"
Leg Stage	2-stage
Max lifting capacity	275 lbs
Safety	Anti-collision
Speed	30mm/s
Standby Consumption	.2W
Total Stroke	0mm/500mm/650mm
UL	UL962 Components level certified
BIFMA	ANSI/BIFMA X5.5-2014
Worksurface depths	24" and 30"
Worksurface widths	48, 54, 60, 66 and 72"

Vibe **Typicals**



6-pack DR Vibe in Black finish with Landmark Wood worksurfaces and Gallery End Panels, for a clean, finished look. Also includes 12" Milo pedestals with Ash cushion tops and Ash Versi privacy screens.



4-pack DR Vibe with returns and Privacy End Panels in Silver finish, with Grey Elm worksurfaces. Also includes 12" Milo mobile pedestals with cushion tops and Versi privacy screens in Honey.



6-pack Vibe benching with Privacy End Panels in Black, and Landmark Wood worksurfaces. Includes Milo 12" mobile pedestal with cushion tops in Ash, with coordinating Ash Versi privacy screens



3-pack SR Vibe benching in Silver with Landmark Wood worksurfaces. Includes Mochi storage and Versi privacy screens in Natural.

Vibe Image Gallery

